

Report Created: 9/15/2014 5:17:45 PM

**Basinwide Summary: May 1, 2005  
(averages based on 1981-2010 reference period)**

Reservoir Storage Summary for the end of April 2005

| Bear River                    | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |
|-------------------------------|---------------|-----------------|---------------|----------------|--------------------|----------------------|--------------------|-------------------|---------------------|
| BEAR LAKE                     | 121.6         | 100.7           | 651.7         | 1421.0         | 9%                 | 7%                   | 46%                | 19%               | 15%                 |
| HYRUM RESERVOIR               | 13.8          | 15.0            | 14.1          | 15.3           | 90%                | 98%                  | 92%                | 98%               | 106%                |
| PORCUPINE RESERVOIR           | 11.3          | 11.3            | 10.1          | 11.3           | 100%               | 100%                 | 89%                | 112%              | 112%                |
| WOODRUFF CREEK                | 4.0           | 4.0             | 3.8           | 4.0            | 100%               | 100%                 | 95%                | 105%              | 105%                |
| WOODRUFF NARROWS RESERVOIR    | 31.0          | 28.0            | 45.5          | 57.3           | 54%                | 49%                  | 79%                | 68%               | 62%                 |
| Basin-wide Total              | 181.7         | 159.0           | 725.2         | 1508.9         | 12%                | 11%                  | 48%                | 25%               | 22%                 |
| # of reservoirs               | 5             | 5               | 5             | 5              | 5                  | 5                    | 5                  | 5                 | 5                   |
| Weber Ogden Rivers            | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |
| CAUSEY RESERVOIR              | 5.8           | 6.8             | 5.0           | 7.1            | 82%                | 95%                  | 70%                | 117%              | 135%                |
| EAST CANYON RESERVOIR         | 39.4          | 37.9            | 40.4          | 49.5           | 80%                | 77%                  | 82%                | 98%               | 94%                 |
| ECHO RESERVOIR                | 62.5          | 54.6            | 54.4          | 73.9           | 85%                | 74%                  | 74%                | 115%              | 100%                |
| LOST CREEK RESERVOIR          | 11.6          | 8.0             | 14.6          | 22.5           | 51%                | 36%                  | 65%                | 79%               | 55%                 |
| PINEVIEW RESERVOIR            | 92.0          | 90.0            | 79.9          | 110.1          | 84%                | 82%                  | 73%                | 115%              | 113%                |
| ROCKPORT RESERVOIR            | 41.0          | 41.9            | 40.1          | 60.9           | 67%                | 69%                  | 66%                | 102%              | 104%                |
| WILLARD BAY                   | 170.3         | 102.9           | 158.7         | 215.0          | 79%                | 48%                  | 74%                | 107%              | 65%                 |
| SMITH AND MOREHOUSE RESERVOIR | 6.4           | 6.2             | 4.5           | 81.0           | 8%                 | 8%                   | 6%                 | 142%              | 138%                |
| Basin-wide Total              | 429.0         | 348.2           | 397.6         | 620.0          | 69%                | 56%                  | 64%                | 108%              | 88%                 |
| # of reservoirs               | 8             | 8               | 8             | 8              | 8                  | 8                    | 8                  | 8                 | 8                   |
| Provo R Utah Lake Jordan R    | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |
| DEER CREEK RESERVOIR          | 137.2         | 70.9            | 122.0         | 149.7          | 92%                | 47%                  | 81%                | 112%              | 58%                 |
| STRAWBERRY RESERVOIR          | 730.4         | 787.6           | 678.4         | 1105.9         | 66%                | 71%                  | 61%                | 108%              | 116%                |
| UTAH LAKE                     | 582.0         | 545.0           | 830.9         | 870.9          | 67%                | 63%                  | 95%                | 70%               | 66%                 |
| JORDANELLE RESERVOIR          | 238.0         | 249.4           | 247.1         | 320.0          | 74%                | 78%                  | 77%                | 96%               | 101%                |
| Basin-wide Total              | 1687.6        | 1652.9          | 1878.4        | 2446.5         | 69%                | 68%                  | 77%                | 90%               | 88%                 |
| # of reservoirs               | 4             | 4               | 4             | 4              | 4                  | 4                    | 4                  | 4                 | 4                   |
| Tooele Valley Vernon Creek    | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |
| VERNON CREEK RESERVOIR        | 0.6           | 0.7             | 0.6           | 0.6            | 100%               | 117%                 | 97%                | 103%              | 121%                |
| SETTLEMENT CANYON RESERVOIR   | 0.9           | 0.8             | 0.8           | 1.0            | 90%                | 80%                  | 80%                | 113%              | 100%                |
| GRANTSVILLE RESERVOIR         | 3.3           | 2.5             | 2.8           | 3.3            | 100%               | 76%                  | 85%                | 118%              | 89%                 |
| Basin-wide Total              | 4.8           | 4.0             | 4.2           | 4.9            | 98%                | 82%                  | 85%                | 115%              | 96%                 |
| # of reservoirs               | 3             | 3               | 3             | 3              | 3                  | 3                    | 3                  | 3                 | 3                   |
| Northeastern Uintahs          | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |
| FLAMING GORGE RESERVOIR       | 2910.0        | 2638.0          | 3039.0        | 3749.0         | 78%                | 70%                  | 81%                | 96%               | 87%                 |
| STATELINE RESERVOIR           | 5.5           | 4.9             | 6.3           | 12.0           | 46%                | 41%                  | 53%                | 88%               | 78%                 |
| MEEKS CABIN RESERVOIR         | 15.5          | 18.4            | 16.5          | 32.5           | 48%                | 57%                  | 51%                | 94%               | 112%                |
| Basin-wide Total              | 2931.0        | 2661.3          | 3061.8        | 3793.5         | 77%                | 70%                  | 81%                | 96%               | 87%                 |
| # of reservoirs               | 3             | 3               | 3             | 3              | 3                  | 3                    | 3                  | 3                 | 3                   |
| Duchesne River                | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |
| STEINAKER RESERVOIR           | 29.9          | 18.6            | 25.3          | 33.4           | 89%                | 56%                  | 76%                | 118%              | 74%                 |
| RED FLEET RESERVOIR           | 17.5          | 17.1            | 19.8          | 25.7           | 68%                | 66%                  | 77%                | 88%               | 86%                 |
| BIG SAND WASH RESERVOIR       |               |                 |               | 25.7           |                    |                      |                    |                   |                     |
| UPPER STILLWATER RESERVOIR    | 2.4           | 2.4             | 2.9           | 32.5           | 7%                 | 7%                   | 9%                 | 83%               | 83%                 |
| STARVATION RESERVOIR          | 142.6         | 159.5           | 151.9         | 165.3          | 86%                | 96%                  | 92%                | 94%               | 105%                |
| MOON LAKE RESERVOIR           | 21.8          | 18.9            | 27.6          | 35.8           | 61%                | 53%                  | 77%                | 79%               | 68%                 |
| CURRENT CREEK RESERVOIR       | 15.0          | 15.5            | 14.9          | 15.5           | 97%                | 100%                 | 96%                | 101%              | 104%                |
| STRAWBERRY RESERVOIR          | 730.4         | 787.6           | 678.4         | 1105.9         | 66%                | 71%                  | 61%                | 108%              | 116%                |
| Basin-wide Total              | 959.5         | 1019.5          | 920.8         | 1439.8         | 68%                | 72%                  | 65%                | 104%              | 111%                |
| # of reservoirs               | 7             | 7               | 7             | 8              | 7                  | 7                    | 7                  | 7                 | 7                   |
| Price San Rafael              | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |
| JOES VALLEY RESERVOIR         | 37.8          | 38.7            | 40.1          | 61.6           | 61%                | 63%                  | 65%                | 94%               | 96%                 |
| MILLSITE                      | 1.5           | 8.0             | 11.2          | 16.7           | 9%                 | 48%                  | 67%                | 13%               | 71%                 |
| HUNTINGTON NORTH RESERVOIR    | 4.1           | 4.1             | 3.9           | 4.2            | 99%                | 99%                  | 93%                | 106%              | 106%                |
| CLEVELAND LAKE                |               |                 |               | 5.4            |                    |                      |                    |                   |                     |
| MILLER FLAT RESERVOIR         |               |                 |               | 5.2            |                    |                      |                    |                   |                     |
| SCOFIELD RESERVOIR            | 17.8          | 17.8            | 33.2          | 65.8           | 27%                | 27%                  | 50%                | 54%               | 54%                 |
| Basin-wide Total              | 61.2          | 68.6            | 88.4          | 158.9          | 41%                | 46%                  | 60%                | 69%               | 78%                 |

|                            | # of reservoirs  | 4             | 4               | 4             | 6              | 4                  | 4                    | 4                  | 4                 | 4                   | 4 |
|----------------------------|------------------|---------------|-----------------|---------------|----------------|--------------------|----------------------|--------------------|-------------------|---------------------|---|
| Southeastern Utah          |                  | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |   |
| KEN'S LAKE                 |                  | 1.2           | 0.9             | 1.5           | 2.3            | 50%                | 39%                  | 65%                | 78%               | 61%                 |   |
|                            | Basin-wide Total | 1.2           | 0.9             | 1.5           | 2.3            | 50%                | 39%                  | 65%                | 78%               | 61%                 |   |
|                            | # of reservoirs  | 1             | 1               | 1             | 1              | 1                  | 1                    | 1                  | 1                 | 1                   |   |
| Upper Sevier River         |                  | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |   |
| PIUTE RESERVOIR            |                  | 47.3          | 12.6            | 54.4          | 71.8           | 66%                | 18%                  | 76%                | 87%               | 23%                 |   |
| OTTER CREEK RESERVOIR      |                  | 43.2          | 29.6            | 44.8          | 52.5           | 82%                | 56%                  | 85%                | 96%               | 66%                 |   |
| PANGUITCH LAKE             |                  | 12.7          | 12.7            | 15.9          | 22.3           | 57%                | 57%                  | 71%                | 80%               | 80%                 |   |
|                            | Basin-wide Total | 103.2         | 54.9            | 115.1         | 146.6          | 70%                | 37%                  | 79%                | 90%               | 48%                 |   |
|                            | # of reservoirs  | 3             | 3               | 3             | 3              | 3                  | 3                    | 3                  | 3                 | 3                   |   |
| San Pitch River            |                  | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |   |
| GUNNISON RESERVOIR         |                  | 3.5           | 3.3             | 14.2          | 20.3           | 17%                | 16%                  | 70%                | 25%               | 23%                 |   |
|                            | Basin-wide Total | 3.5           | 3.3             | 14.2          | 20.3           | 17%                | 16%                  | 70%                | 25%               | 23%                 |   |
|                            | # of reservoirs  | 1             | 1               | 1             | 1              | 1                  | 1                    | 1                  | 1                 | 1                   |   |
| Lower Sevier River         |                  | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |   |
| SEVIER BRIDGE RESERVOIR    |                  | 89.2          | 72.9            | 172.9         | 236.0          | 38%                | 31%                  | 73%                | 52%               | 42%                 |   |
|                            | Basin-wide Total | 89.2          | 72.9            | 172.9         | 236.0          | 38%                | 31%                  | 73%                | 52%               | 42%                 |   |
|                            | # of reservoirs  | 1             | 1               | 1             | 1              | 1                  | 1                    | 1                  | 1                 | 1                   |   |
| Beaver River               |                  | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |   |
| MINERSVILLE RESERVOIR      |                  | 9.7           | 7.1             | 16.5          | 23.3           | 42%                | 30%                  | 71%                | 59%               | 43%                 |   |
|                            | Basin-wide Total | 9.7           | 7.1             | 16.5          | 23.3           | 42%                | 30%                  | 71%                | 59%               | 43%                 |   |
|                            | # of reservoirs  | 1             | 1               | 1             | 1              | 1                  | 1                    | 1                  | 1                 | 1                   |   |
| Southwestern Utah          |                  | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |   |
| LAKE POWELL                |                  | 8538.5        | 10192.6         | 17123.0       | 24322.0        | 35%                | 42%                  | 70%                | 50%               | 60%                 |   |
| LOWER ENTERPRISE           |                  | 2.6           | 0.7             | 1.4           | 2.6            | 100%               | 27%                  | 55%                | 183%              | 49%                 |   |
| UPPER ENTERPRISE           |                  | 10.0          | 1.5             | 5.0           | 10.0           | 100%               | 15%                  | 50%                | 200%              | 30%                 |   |
| KOLOB RESERVOIR            |                  |               |                 | 5.6           |                |                    |                      |                    |                   |                     |   |
| GUNLOCK                    |                  | 10.4          | 6.8             | 6.8           | 10.4           | 100%               | 65%                  | 65%                | 153%              | 100%                |   |
| SAND HOLLOW RESERVOIR      |                  |               |                 | 50.0          |                |                    |                      |                    |                   |                     |   |
| QUAIL CREEK                |                  | 38.8          | 27.9            | 31.6          | 40.0           | 97%                | 70%                  | 79%                | 123%              | 88%                 |   |
|                            | Basin-wide Total | 8600.3        | 10229.5         | 17167.8       | 24440.6        | 35%                | 42%                  | 70%                | 50%               | 60%                 |   |
|                            | # of reservoirs  | 5             | 5               | 5             | 7              | 5                  | 5                    | 5                  | 5                 | 5                   |   |
| State                      |                  | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |   |
| BIG SAND WASH RESERVOIR    |                  |               |                 | 25.7          |                |                    |                      |                    |                   |                     |   |
| CAUSEY RESERVOIR           |                  | 5.8           | 6.8             | 5.0           | 7.1            | 82%                | 95%                  | 70%                | 117%              | 135%                |   |
| CLEVELAND LAKE             |                  |               |                 | 5.4           |                |                    |                      |                    |                   |                     |   |
| CURRENT CREEK RESERVOIR    |                  | 15.0          | 15.5            | 14.9          | 15.5           | 97%                | 100%                 | 96%                | 101%              | 104%                |   |
| DEER CREEK RESERVOIR       |                  | 137.2         | 70.9            | 122.0         | 149.7          | 92%                | 47%                  | 81%                | 112%              | 58%                 |   |
| EAST CANYON RESERVOIR      |                  | 39.4          | 37.9            | 40.4          | 49.5           | 80%                | 77%                  | 82%                | 98%               | 94%                 |   |
| ECHO RESERVOIR             |                  | 62.5          | 54.6            | 54.4          | 73.9           | 85%                | 74%                  | 74%                | 115%              | 100%                |   |
| FLAMING GORGE RESERVOIR    |                  | 2910.0        | 2638.0          | 3039.0        | 3749.0         | 78%                | 70%                  | 81%                | 96%               | 87%                 |   |
| GRANTSVILLE RESERVOIR      |                  | 3.3           | 2.5             | 2.8           | 3.3            | 100%               | 76%                  | 85%                | 118%              | 89%                 |   |
| GUNLOCK                    |                  | 10.4          | 6.8             | 6.8           | 10.4           | 100%               | 65%                  | 65%                | 153%              | 100%                |   |
| GUNNISON RESERVOIR         |                  | 3.5           | 3.3             | 14.2          | 20.3           | 17%                | 16%                  | 70%                | 25%               | 23%                 |   |
| HUNTINGTON NORTH RESERVOIR |                  | 4.1           | 4.1             | 3.9           | 4.2            | 99%                | 99%                  | 93%                | 106%              | 106%                |   |
| HYRUM RESERVOIR            |                  | 13.8          | 15.0            | 14.1          | 15.3           | 90%                | 98%                  | 92%                | 98%               | 106%                |   |
| JOES VALLEY RESERVOIR      |                  | 37.8          | 38.7            | 40.1          | 61.6           | 61%                | 63%                  | 65%                | 94%               | 96%                 |   |
| JORDANELLE RESERVOIR       |                  | 238.0         | 249.4           | 247.1         | 320.0          | 74%                | 78%                  | 77%                | 96%               | 101%                |   |
| KEN'S LAKE                 |                  | 1.2           | 0.9             | 1.5           | 2.3            | 50%                | 39%                  | 65%                | 78%               | 61%                 |   |
| KOLOB RESERVOIR            |                  |               |                 | 5.6           |                |                    |                      |                    |                   |                     |   |
| LOST CREEK RESERVOIR       |                  | 11.6          | 8.0             | 14.6          | 22.5           | 51%                | 36%                  | 65%                | 79%               | 55%                 |   |
| LOWER ENTERPRISE           |                  | 2.6           | 0.7             | 1.4           | 2.6            | 100%               | 27%                  | 55%                | 183%              | 49%                 |   |
| MILLER FLAT RESERVOIR      |                  |               |                 | 5.2           |                |                    |                      |                    |                   |                     |   |
| MILLSITE                   |                  | 1.5           | 8.0             | 11.2          | 16.7           | 9%                 | 48%                  | 67%                | 13%               | 71%                 |   |
| MINERSVILLE RESERVOIR      |                  | 9.7           | 7.1             | 16.5          | 23.3           | 42%                | 30%                  | 71%                | 59%               | 43%                 |   |
| MOON LAKE RESERVOIR        |                  | 21.8          | 18.9            | 27.6          | 35.8           | 61%                | 53%                  | 77%                | 79%               | 68%                 |   |
| OTTER CREEK RESERVOIR      |                  | 43.2          | 29.6            | 44.8          | 52.5           | 82%                | 56%                  | 85%                | 96%               | 66%                 |   |
| PANGUITCH LAKE             |                  | 12.7          | 12.7            | 15.9          | 22.3           | 57%                | 57%                  | 71%                | 80%               | 80%                 |   |

|                               |         |         |         |         |      |      |     |      |      |
|-------------------------------|---------|---------|---------|---------|------|------|-----|------|------|
| PINEVIEW RESERVOIR            | 92.0    | 90.0    | 79.9    | 110.1   | 84%  | 82%  | 73% | 115% | 113% |
| PIUTE RESERVOIR               | 47.3    | 12.6    | 54.4    | 71.8    | 66%  | 18%  | 76% | 87%  | 23%  |
| PORCUPINE RESERVOIR           | 11.3    | 11.3    | 10.1    | 11.3    | 100% | 100% | 89% | 112% | 112% |
| QUAIL CREEK                   | 38.8    | 27.9    | 31.6    | 40.0    | 97%  | 70%  | 79% | 123% | 88%  |
| RED FLEET RESERVOIR           | 17.5    | 17.1    | 19.8    | 25.7    | 68%  | 66%  | 77% | 88%  | 86%  |
| ROCKPORT RESERVOIR            | 41.0    | 41.9    | 40.1    | 60.9    | 67%  | 69%  | 66% | 102% | 104% |
| SAND HOLLOW RESERVOIR         |         |         |         | 50.0    |      |      |     |      |      |
| SCOFIELD RESERVOIR            | 17.8    | 17.8    | 33.2    | 65.8    | 27%  | 27%  | 50% | 54%  | 54%  |
| SETTLEMENT CANYON RESERVOIR   | 0.9     | 0.8     | 0.8     | 1.0     | 90%  | 80%  | 80% | 113% | 100% |
| SEVIER BRIDGE RESERVOIR       | 89.2    | 72.9    | 172.9   | 236.0   | 38%  | 31%  | 73% | 52%  | 42%  |
| SMITH AND MOREHOUSE RESERVOIR | 6.4     | 6.2     | 4.5     | 81.0    | 8%   | 8%   | 6%  | 142% | 138% |
| STARVATION RESERVOIR          | 142.6   | 159.5   | 151.9   | 165.3   | 86%  | 96%  | 92% | 94%  | 105% |
| STATELINE RESERVOIR           | 5.5     | 4.9     | 6.3     | 12.0    | 46%  | 41%  | 53% | 88%  | 78%  |
| STEINAKER RESERVOIR           | 29.9    | 18.6    | 25.3    | 33.4    | 89%  | 56%  | 76% | 118% | 74%  |
| STRAWBERRY RESERVOIR          | 730.4   | 787.6   | 678.4   | 1105.9  | 66%  | 71%  | 61% | 108% | 116% |
| UPPER ENTERPRISE              | 10.0    | 1.5     | 5.0     | 10.0    | 100% | 15%  | 50% | 200% | 30%  |
| UPPER STILLWATER RESERVOIR    | 2.4     | 2.4     | 2.9     | 32.5    | 7%   | 7%   | 9%  | 83%  | 83%  |
| UTAH LAKE                     | 582.0   | 545.0   | 830.9   | 870.9   | 67%  | 63%  | 95% | 70%  | 66%  |
| VERNON CREEK RESERVOIR        | 0.6     | 0.7     | 0.6     | 0.6     | 100% | 117% | 97% | 103% | 121% |
| WILLARD BAY                   | 170.3   | 102.9   | 158.7   | 215.0   | 79%  | 48%  | 74% | 107% | 65%  |
| WOODRUFF CREEK                | 4.0     | 4.0     | 3.8     | 4.0     | 100% | 100% | 95% | 105% | 105% |
| WOODRUFF NARROWS RESERVOIR    | 31.0    | 28.0    | 45.5    | 57.3    | 54%  | 49%  | 79% | 68%  | 62%  |
| LAKE POWELL                   | 8538.5  | 10192.6 | 17123.0 | 24322.0 | 35%  | 42%  | 70% | 50%  | 60%  |
| MEEKS CABIN RESERVOIR         | 15.5    | 18.4    | 16.5    | 32.5    | 48%  | 57%  | 51% | 94%  | 112% |
| BEAR LAKE                     | 121.6   | 100.7   | 651.7   | 1421.0  | 9%   | 7%   | 46% | 19%  | 15%  |
| Basin-wide Total              | 14331.5 | 15494.6 | 23886.0 | 33735.7 | 43%  | 46%  | 71% | 60%  | 65%  |
| # of reservoirs               | 45      | 45      | 45      | 50      | 45   | 45   | 45  | 45   | 45   |